

## CITY OF DUBLIN ADDENDUM #1 RFP #25-0113-01 GROUNDWATER PLANT ROOF/WALL RENOVATION

**DATE:** February 5, 2025

**TO:** Groundwater Plant Roof/Wall Renovation Proposers

**FROM:** David Sawyer, Purchasing Director

**SUBJECT:** Addition to the Renovation

**Addition:** The following additions are needed for this proposal:

1. This job is to also include repairing the step nosings between the first and second floor at the groundwater plant.

- 2. Proposers will need to provide one or a combination of louver(s) that can pass 7,000 cfm. A Greenheck ESD-435 louver (or equivalent) shall work for this job.
- 3. Add ventilation fan(s) to the filter room. (7,000 cfm wall fan) (1/4 hp) 110 volt. Provide wall opening for fan approximately 12 feet from the floor of the filter room and all conduit, wire, etc to operate the fan to the nearest electrical panel. Fan shall be switch operated.
- 4. Clean and paint the existing steel roof trusses to preserve them as required.
- 5. Contractor to provide a "Jig" to remove ceiling panels and use all caution necessary to prevent panels or pieces from falling into the filters.
- 6. Wall repair shall require removal of plaster and replacement, while wall touch up will be basically cleaning and painting the surface. Wall repair quantity is 750 square feet, and the remainder of walls will require touching up/paint to all existing painted walls.
- 7. Contractor must make sure the roof is properly drained.

8. Contractor must repair four elevator wall floor connections.

Be sure to submit this signed form with your proposal to acknowledge your receipt of the addendum. Failure to return signed addendum may result in disqualification of proposal.

I have read the above change to the original bid and will submit my bid accordingly.	
Bidder:	· · · · · · · · · · · · · · · · · · ·
Signature	Date