



**CITY OF DUBLIN
ADDENDUM #2
RFP #25-0113-01
GROUNDWATER PLANT ROOF/WALL RENOVATION**

DATE: February 5, 2025

TO: Groundwater Plant Roof/Wall Renovation Proposers

FROM: David Sawyer, Purchasing Director

SUBJECT: Correction of Addendum #1

Addition: The following additions are needed for this proposal:

1. Contractor shall plant to use a "jig" for removal of existing roof panels, as to prevent any concrete from falling to the floor in the filter area.
2. Install 7,000 cfm wall fan with opening in the brick wall as required. Fan shall include a louver that shuts when the fan is off. All electrical for fan operation shall be included. The fan shall be switch operated at a location determined and accessible by the plant operation staff.
3. Install louver or louvers to handle the flow of air by the fan on the opposite wall. Louver manufacturer's recommended air flow to prevent water carry over shall determine the size and type of louver.
4. Repair nosing on the steps from the first floor to the second floor of the building. This is approximately 5 cast iron nosing that need to be removed and reinstalled, as required.
5. Clean and paint existing roof trusses under both roof areas that are being replaced. Area over filter can be wire brushed to removed loose paint. Roof over third floor needs to be cleaned to remove rust and then painted.
6. Wall repair shall be bid on the quantity of 750 square feet.
7. Wall touch up shall be for the remainder of the painted walls in the building. This shall include all painted interior walls.

8. Existing roof drains and plumbing shall be removed and exterior skupper drains shall be installed to the wall exterior.
9. Price as an additive alternative to clean and polish all terrazzo floor surfaces interior to the building.

Be sure to submit this signed form with your proposal to acknowledge your receipt of the addendum. Failure to return signed addendum may result in disqualification of proposal.

I have read the above change to the original bid and will submit my bid accordingly.

Bidder: _____

Signature

Date